



تبادر

# شركة الصناعات الوطنية

بمشروع تشجيع ترشيد الطاقة باستخدام


## مصابيح LED


بما يحقق الوفر للوطن والمواطن  
من خلال توفيرها للمستهلك


**بسعر مخفض**





# LED Lights Price List


<b>LED-COB Spot Light</b>		This lamp is suitable <b>ONLY</b> for well ventilated fixtures.					
<b>Unit Price (K.D.)</b>	<b>Incandescent</b>	<b>Watt</b>		<b>Type</b>	<b>Diameter</b>	<b>Code</b>	
<b>0.950</b>	Yellow - 3000K	35	5W	GU5.3	5.7 cm	940120051	1
<b>0.950</b>	White - 6000K	35	5W	GU5.3	5.7 cm	940120053	2
<b>1.000</b>	Yellow - 3000K	50	7W	GU5.3	5.7 cm	940120071	3
<b>1.000</b>	White - 6000K	50	7W	GU5.3	5.7 cm	940120073	4

<b>P45 E14 Clear</b>		This lamp is suitable <b>ONLY</b> for well ventilated fixtures.					
<b>Unit Price (K.D.)</b>	<b>Incandescent</b>	<b>Watt</b>		<b>Type</b>	<b>Base</b>	<b>Dimensions</b>	<b>Code</b>
<b>0.500</b>	Yellow - 3000K	30	5W	P45	E14	7.5x4.5 cm	940082051
<b>0.500</b>	White - 6000K	30	5W	P45	E14	7.5x4.5 cm	940082053

<b>C37 E14 Clear</b>		This lamp is suitable <b>ONLY</b> for well ventilated fixtures.					
<b>Unit Price (K.D.)</b>	<b>Incandescent</b>	<b>Watt</b>		<b>Type</b>	<b>Base</b>	<b>Dimensions</b>	<b>Code</b>
<b>0.650</b>	Yellow - 3000K	30	5W	C37	E14	10x3.5 cm	940092051
<b>0.650</b>	White - 6000K	30	5W	C37	E14	10x3.5 cm	940092053

<b>LED Reflector Bulbs</b>		This lamp is suitable <b>ONLY</b> for well ventilated fixtures.					
<b>Unit Price (K.D.)</b>	<b>Incandescent</b>	<b>Watt</b>		<b>Type</b>	<b>Base</b>	<b>Dimensions</b>	<b>Code</b>
<b>0.700</b>	Yellow - 3000K	30	5W	R50	E14	8x5 cm	940072051
<b>0.700</b>	White - 6000K	30	5W	R50	E14	8x5 cm	940072053
<b>0.950</b>	Yellow - 3000K	45	7W	R63	E27	10x6 cm	940073071
<b>0.950</b>	White - 6000K	45	7W	R63	E27	10x6 cm	940073073
<b>1.250</b>	Yellow - 3000K	65	10W	R80	E27	11x7.5 cm	940073101
<b>1.250</b>	White - 6000K	65	10W	R80	E27	11x7.5 cm	940073103


<b>LED Sunrise Bulbs None Dimmable</b>		This lamp is suitable <b>ONLY</b> for well ventilated fixtures.					
<b>Unit Price (K.D.)</b>	<b>Incandescent</b>	<b>Watt</b>		<b>Type</b>	<b>Base</b>	<b>Dimensions</b>	<b>Code</b>
<b>0.650</b>	Yellow - 3000K	60	9W	A60	E27	11.5x6 cm	940063091
<b>0.650</b>	White - 6000K	60	9W	A60	E27	11.5x6 cm	940063093
<b>0.950</b>	Yellow - 3000K	80	11W	A60	E27	11.5x6 cm	940063111
<b>0.950</b>	White - 6000K	80	11W	A60	E27	11.5x6 cm	940063113

<b>LED Sunrise Classic Bulbs</b>		This lamp is suitable <b>ONLY</b> for well ventilated fixtures.					
<b>Unit Price (K.D.)</b>	<b>Incandescent</b>	<b>Watt</b>		<b>Type</b>	<b>Base</b>	<b>Dimensions</b>	<b>Code</b>
<b>0.400</b>	Yellow - 3000K	40	6W	A55	E27	10x5 cm	940013061
<b>0.400</b>	White - 6000K	40	6W	A55	E27	10x5 cm	940013063
<b>0.550</b>	Yellow - 3000K	60	9W	A60	E27	10.5x5 cm	940013091
<b>0.550</b>	White - 6000K	60	9W	A60	E27	10.5x5 cm	940013093
<b>0.700</b>	Yellow - 3000K	80	12W	A60	E27	11.5x6 cm	940013121
<b>0.700</b>	White - 6000K	85	12W	A60	E27	11.5x6 cm	940013123
<b>0.900</b>	Yellow - 3000K	110	15W	A70	E27	13x7 cm	940013151
<b>0.900</b>	White - 6000K	110	15W	A70	E27	13x7 cm	940013153
<b>0.950</b>	Yellow - 3000K	120	18W	A80	E27	14x7 cm	940013181
<b>0.950</b>	White - 6000K	120	18W	A90	E27	16x9 cm	940013193
<b>0.450</b>	Yellow - 3000K	40	7W	A60	E27	10x5 cm	940013071
<b>0.450</b>	White - 6500K	40	7W	A60	E27	10x5 cm	940013072
<b>0.600</b>	Yellow - 3000K	60	9W	A60	E27	10.5x5 cm	940013094
<b>0.600</b>	White - 6500K	60	9W	A60	E27	10.5x5 cm	940013095
<b>0.700</b>	Yellow - 3000K	80	12W	A60	E27	11.5x6 cm	940013124
<b>0.700</b>	White - 6500K	85	12W	A60	E27	11.5x6 cm	940013125
<b>1.000</b>	Yellow - 3000K	110	15W	A65	E27	13x7 cm	940013154
<b>1.000</b>	White - 6500K	110	15W	A65	E27	13x7 cm	940013155
<b>1.100</b>	Yellow - 3000K	120	18W	A80	E27	14x7 cm	940013182
<b>1.100</b>	White - 6500K	120	18W	A80	E27	16x9 cm	940013184

# LED Lights Price List

## LED G Bulbs

This lamp is suitable **ONLY** for well ventilated fixtures.



Unit Price (K.D.)	Incandescent	Watt		Type	Base	Dimensions	Code	
1.350	Yellow - 3000K	70	10W	G95	E27	13x8.5 cm	940043101	29
1.350	White - 6000K	70	10W	G95	E27	13x8.5 cm	940043103	30
1.650	Yellow - 3000K	90	13W	G120	E27	16x12 cm	940053101	31
1.650	White - 6000K	90	13W	G120	E27	16x12 cm	940053103	32

## LED Tube All Plastic T8


This lamp is suitable **ONLY** for well ventilated fixtures.



Unit Price (K.D.)	Incandescent	Watt	Type	Length	Code	*
1.250	Yellow - 3000K	9W	T8	60 cm	940100091	33
1.250	White - 6000K	9W	T8	60 cm	940100093	34

## LED Tube Plastic + Alluminium T8

This lamp is suitable **ONLY** for well ventilated fixtures.



Unit Price (K.D.)	Incandescent	Watt	Type	Length	Code	*
1.300	Yellow - 3000K	9W	T8	60 cm	940110091	35
1.300	White - 6000K	9W	T8	60 cm	940110093	36

## LED-COB Ceiling Light



Unit Price (K.D.)	Incandescent	Watt		Diameter	Code	
0.950	Bright Yellow - 4000K	35	5W	7 cm	940130052	37
0.950	Bright White - 6500K	35	5W	7 cm	940130054	38
1.150	Bright Yellow - 4000K	50	7W	7 cm	940130072	39
1.150	Bright White - 6500K	50	7W	7 cm	940130074	40
1.150	Bright Yellow - 4000K	40	7W	7 cm	940130075	<b>C1</b>
1.150	Bright White - 6500K	40	7W	7 cm	940130076	<b>C2</b>

## LED-COB Down Light



Unit Price (K.D.)	Incandescent	Watt	Diameter	Code	
2.450	Bright Yellow - 4000K	10W	10 cm	940140102	41
2.450	Bright White - 6500K	10W	10 cm	940140104	42
3.250	Bright Yellow - 4000K	20W	16 cm	940140202	43
3.250	Bright White - 6500K	20W	16 cm	940140204	44
2.950	Bright White - 6500K	10W	10 cm	940150102	<b>D1</b>

## LED Round Slim Panel Light with Driver



Unit Price (K.D.)	Incandescent	Watt	Diameter	Code	
1.000	Yellow - 3000K	6W	10 cm	940020061	45
1.000	White - 6000K	6W	10 cm	940020063	46
1.300	Yellow - 3000K	9W	13 cm	940020091	47
1.300	White - 6000K	9W	13 cm	940020093	48
1.600	Yellow - 3000K	12W	15 cm	940020121	49
1.600	White - 6000K	12W	15 cm	940020123	50
2.000	Yellow - 3000K	15W	17 cm	940020151	51
2.000	White - 6000K	15W	17 cm	940020153	52

## LED Square Slim Panel Light with Driver



Unit Price (K.D.)	Incandescent	Watt	Diameter	Code	
1.000	Yellow - 3000K	6W	10 cm	940030061	53
1.000	White - 6000K	6W	10 cm	940030063	54
1.250	Yellow - 3000K	9W	13 cm	940030091	55
1.250	White - 6000K	9W	13 cm	940030093	56
1.750	Yellow - 3000K	15W	17 cm	940030151	57
1.750	White - 6000K	15W	17 cm	940030153	58
1.650	Yellow - 3000K	12W	15 cm	940030121	59
1.650	White - 6000K	12W	15 cm	940030123	60


## LED Lights Price List

### LED Big Square Panel Light

Unit Price (K.D.)	Incandescent	Watt	Dimensions	Code	
2.700	Bright White - 6500K	12W	30x30 cm	940150124	61
8.000	Bright White - 6500K	40W	60x60 cm	940150404	62
4.500	Bright White - 6500K	14W	60x30 cm	940150144	63
9.000	Bright White - 6500K	42W	120x30 cm	940150424	64

### LED Filament Bulb XGY-C35


This lamp is suitable **ONLY** for well ventilated fixtures.



Unit Price (K.D.)	Incandescent	Watt	Type	Base	Dimensions	Code		
0.350	Bright White - 6500K	20	2W	C35	E14	9.5x3.1 cm	940160121	65
0.350	Bright Yellow - 4000K	20	2W	C35	E14	9.5x3.1 cm	940160122	66
0.450	Bright White - 6500K	40	4W	C35	E14	9.5x3.1 cm	940160123	67
0.450	Bright Yellow - 4000K	40	4W	C35	E14	9.5x3.1 cm	940160124	68

### LED Filament Bulb XGY-A60


This lamp is suitable **ONLY** for well ventilated fixtures.



Unit Price (K.D.)	Incandescent	Watt	Type	Base	Dimensions	Code		
0.500	Bright White - 6500K	40	4W	A60	E27	10.5x5.5 cm	940170121	69
0.500	Bright Yellow - 4000K	40	4W	A60	E27	10.5x5.5 cm	940170122	70
0.700	Bright White - 6500K	60	6W	A60	E27	10.5x5.5 cm	940170123	71
0.700	Bright Yellow - 4000K	60	6W	A60	E27	10.5x5.5 cm	940170124	72
0.800	Bright White - 6500K	80	8W	A60	E27	10.5x5.5 cm	940170125	73
0.800	Bright Yellow - 4000K	80	8W	A60	E27	10.5x5.5 cm	940170126	74

### LED Tube T5

This lamp is suitable **ONLY** for well ventilated fixtures.



Unit Price (K.D.)	Incandescent	Watt	Type	Base	PC Cover	Length	Code	
0.800	Bright Yellow - 4000K	9W	T5F102-E9	E9	Clear	60 cm	940180121	75
0.800	Bright White - 6500K	9W	T5F102-E9	E9	Clear	60 cm	940180122	76
0.800	Bright Yellow - 4000K	9W	T5F102-E9	E9	Milky	60 cm	940180123	77
0.800	Bright White - 6500K	9W	T5F102-E9	E9	Milky	60 cm	940180124	78
1.250	Bright Yellow - 4000K	18W	T5F104-E18	E18	Clear	120 cm	940190121	79
1.250	Bright White - 6500K	18W	T5F104-E18	E18	Clear	120 cm	940190122	80
1.250	Bright Yellow - 4000K	18W	T5F104-E18	E18	Milky	120 cm	940190123	81
1.250	Bright White - 6500K	18W	T5F104-E18	E18	Milky	120 cm	940190124	82

### LED Drive

Unit Price (K.D.)		Code	
0.300	LED Drive	940200100	V1

### بحق مصباح LED

- استهلاك أقل بنسبة 85% عن مصباح الشمعة و 30% عن مصابيح التوفير
- عمر أطول بـ 21 ضعف عن عمر مصباح الشمعة و 3 أضعاف عمر مصباح التوفير
- منخفض الحرارة وبالتالي يشكل حملاً أقل بكثير على أجهزة التكييف
- أكثر أماناً فيما يتعلق بالحريق والكسر
- آمن بيئياً حيث يساهم في تخفيض انبعاثات الكربون ولا يحتوي على مواد سامة
- تحقق الدولة وفراً يقدر بـ 3,300 د.ك سنوياً عند استبدال مصباح شمعة واحد ليكون LED